

NETWORKING!

A COMPUTER NETWORKING ZINE!


ACK!

BY JULIA EVANS!





cast of characters


in your house



computers you'll talk to



in the middle



What's this?!

Hi! I'm Julia.




I put a picture of a cat on the internet here:


★ jvns.ca/cat.png ★ (go look!)

In this zine, we'll learn everything (mostly) that needs to happen to get that cat picture from my server to your laptop.

My goal is to help get you from:



to...



our star: the packet

All data is sent over the internet in **packets**. A packet is a series of bits (01101001...) and it's split into sections (aka "headers").

Here's what a UDP packet that says "mangotea" looks like. It's 50 bytes (400 bits) in all!



← 84 bits →

destination MAC	source MAC addr	type
-----------------	-----------------	------

Ethernet frame header (14 bytes)

← 4 bytes / 32 bits →

ver	hlen	TOS	packet length	
identification		flg	fragment offset	
TTL	protocol	header checksum		
Source IP address				
Destination IP address				

IP header 160 bits / 20 bytes

This tells routers what IP to send the packet to.

source port	destination port
length	UDP checksum

UDP header 64 bits / 8 bytes
(a TCP packet would have a TCP header instead here)

m	a	n	g
o	t	e	a


The packet's "contents" go here. ASCII characters are 1 byte so "mangotea" = 8 bytes / 64 bits

steps to get a cat picture


from jvns.ca/cat.png

When you download an image, there are a LOT of networking moving pieces. Here are the basic steps, which we'll explain in the next few pages.


① get the IP address for `jvns.ca`




② open a **socket**




③ open a TCP connection to `104.28.7.94` port `80`




④ request a cat



⑤ get a cat back



⑥ clean up



DNS

★ Step ①: get the IP address for `javns.ca` ★

All networking happens by sending packets. To send a packet to a server on the internet, you need an IP address like `104.28.7.94`.

`javns.ca` and `google.com` are domain names. DNS (the "Domain Name System") is the protocol we use to get the IP address for a domain name.



The DNS request & response are both usually UDP packets.

When you run `$ curl javns.ca/cat.png`:

curl calls the <code>getaddrinfo</code> function with <code>javns.ca</code>	<code>getaddrinfo</code> finds the system DNS server (like <code>8.8.8.8</code>)	<code>getaddrinfo</code> makes a DNS request to <code>8.8.8.8</code>	★ IP address: ★ ★ obtained! ★ <code>104.28.7.94</code>
---	---	--	--

Your system's default DNS server is often configured in `/etc/resolv.conf`.

`8.8.8.8` is Google's DNS server, and lots of people use it. Try it if your default DNS server isn't working!

There are 2 kinds of DNS servers:

recursive

authoritative




I can get you an IP address for ANY website by asking the right authoritative server.




wanna know where jvns.ca is? Talk to ME!
DNS server
(like art.ns.cloudflare.com)

When you query a recursive DNS server, here's what happens:




Recursive DNS servers usually cache DNS records.

Every DNS record has a TTL ("time to live") that says how long to cache it for. You often can't force them to update their cache. You just have to wait:



♥ let's make DNS requests ♥

When you're setting up DNS for a new domain, often this happens:



Here's how you can make DNS queries from the command line to understand what's going on:

```
$ dig jvns.ca
```

```
;; ANSWER SECTION
jvns.ca 268 IN A 104.28.6.94
jvns.ca 268 IN A 104.28.7.94
;; SERVER 127.0.1.1#53
```

Handwritten annotations:

- Arrow from "268" to: "this record expires after 268 seconds"
- Arrow from "A" to: "an 'A' record is an IP address"
- Arrow from "127.0.1.1#53" to: "the DNS server I'm using"
- Arrow from "ANSWER SECTION" to: "there can be lots of IP addresses for one domain"

```
$ dig @8.8.8.8 jvns.ca
```

8.8.8.8 is Google's recursive DNS server. @8.8.8.8 queries that instead of the default.

```
$ dig +trace jvns.ca
```

```
. 502441 IN NS h.root-servers.net
ca. 172800 IN NS c.ca-servers.net
jvns.ca. 86400 IN NS art.ns.cloudflare.com
jvns.ca. 300 IN A 104.28.6.94
```

Handwritten annotations:

- Arrow from "h.root-servers.net" to: "root DNS server !"
- Arrow from "art.ns.cloudflare.com" to: "root DNS server !"

dig +trace basically does the same thing a recursive DNS server would do to find your domain's IP.

these are the 3 authoritative servers an authoritative server has to query to get an IP for jvns.ca

sockets

Step ②: Now that we have an IP address, the next step is to open a socket!

Let's learn what that is.

your program doesn't know how to do TCP

idk what "TCP" is. I just want to get a webpage

code.py

Program

don't worry! I can help!

OS



what using sockets is like

step 1: ask the OS for a socket

step 2: connect the socket to an IP address and port

step 3: write to the socket to send data

4 common socket types

TCP

to use TCP

UDP

to use UDP

raw

for ULTIMATE POWER.

ping uses this to send ICMP packets.

Unix

to talk to programs on the same computer

When you connect with a TCP socket

OS



juvns.ca Server


(we'll explain this SYN ACK thing soon)

When you write to a socket



code.py

Program

→ writes lots of data ♥♥♥♥♥



→ splits it up into packets to send it





this socket interface is great! the operating system does so much for me!



TCP: how to reliably get a cat

Step 3 in our plan is "open a TCP connection!"

Let's learn what this "TCP" thing even is ☺



how does TCP work, you ask? WELL!




🦋 The TCP handshake 🦋


This is what a TCP header looks like:

the "sequence number" lets you assemble packets in the right order 😊

this is the SYN bit



Every TCP connection starts with a "handshake". This makes sure both sides of the connection can communicate with each other.



But what do "SYN" and "ACK" mean? Well! TCP headers have 6 single bit flags (SYN, ACK, RST, FIN, PSH, URG) that you can set (you can see them in the diagram). A SYN packet is a packet with the SYN flag set to 1.

When you see "connection refused" or "connection timeout" errors, that means the TCP handshake didn't finish!

Here's what a TCP handshake looks like in tcpdump:

```
$ sudo tcpdump host jvns.ca
localhost:51104 > 104.28.6.94:80  Flags [S]
104.28.6.94:80 > localhost:51104  Flags [S.]
localhost:51104 > 104.28.6.94:80  Flags [.]
```

} TCP handshake!

S is for SYN
• is for ACK

↑
jvns.ca IP address

HTTP

Step 4: Finally we can request cat.png!

Every time you get a webpage or see an image online, you're using ~~HTTP~~.

HTTP is a pretty simple plaintext protocol. In fact, it's so simple that you can make an HTTP request by hand right now. Let's do it!!!


```
$ printf "GET / HTTP/1.1\r\nHost: example.com\r\n\r\n" | nc example.com 80
```

} one line

the nc command ("netcat") sets up a TCP connection to example.com and sends the HTTP request you wrote! The response we get back looks like:

```
200 OK
Content-Length: 120321
... headers ...
```

```
<html>
<body>
.... more HTML
```



HTTP/2 is the next version of HTTP. Some big differences are that it's a binary protocol, you can make multiple requests at the same time, and you have to use TLS.

important HTTP headers


This is an HTTP request:

```
GET /cat.png HTTP/1.1
Host: jvns.ca
User-Agent: zine
```

The User-Agent and Host lines are called "headers".

They give the webserver extra information about what webpage you want!


the Host header ← my favorite!



GET/

GET/
Host: jvns.ca

dude, do you even know how many websites I serve? You gotta be more specific.



NOW we're talking

Most servers serve lots of different websites. The Host header lets you pick the one you want!

Servers also send response headers with extra information about the response.

More useful headers:

User-Agent

Lots of servers use this to check if you're using an old browser or if you're a bot.

Accept-Encoding

Want to save bandwidth? Set this to "gzip" and the server might compress your response.

Cookie

When you're logged into a website, your browser sends data in this header! This is how the server knows you're logged in.

☆ ☆ ... and now for even MORE ☆ ☆ ☆ ☆ ☆


We've covered the basics of how to download a cat picture now! But there's a lot more to know! Let's talk about a few more topics.

We'll explain a little more about networking protocols:


- what a port actually is
- how a packet is put together
- security: how SSL works
- the different networking layers
- UDP and why it's amazing

and how packets get sent from place to place:

- how packets get sent in a local network
- and how packets get from your house to jvns.ca
- networking notation




networking layers



I don't always find this useful, but it's good to know what "layer 4" means.

Networking layers mostly correspond to different sections of a packet.



Layer 1: wires + radio waves

Layer 2: Ethernet/wifi protocol
Your network card understands it.

Layer 3: IP addresses
routers look at this to decide where to send the packet next

Layer 4: TCP or UDP
Where you get your ports!

Layer 5+6: don't really exist (though they call SSL "layer 5")

Layer 7: HTTP and friends
Routers ignore this layer, mostly. DNS queries, emails, etc. go here.

layer 3 networking tool

↑
ignores layer 4 and above

I only know about IP addresses!
I don't even know what a port is let alone what the packet says.

who uses which layer?

network card - layers 1+2
home router - layers 2+3+4
applications - mostly layer 7 but also layer 4 for the port

The cool thing is that the layers are mostly independent of each other - you can change the IP address (layer 3) and not worry about layers 4+7.


what's a port?

ports are part of the TCP and UDP protocols.

(TCP port 999 and UDP port 999 are different!)

When you send a TCP message, you want to talk to a specific kind of program.

This would be bad:



We want to have different kinds of programs on the same server:

minecraft DNS email

So every TCP/UDP packet has a port number between 1 and 65535 on it:



netstat and lsof can tell you which ports are in use on your computer


some common ports

DNS:	UDP port 53
HTTP:	TCP port 80
HTTPS:	TCP port 443
SMTP:	TCP port 25
Minecraft:	TCP + UDP port 25565

UDP

user datagram protocol

DNS sends requests using UDP. UDP is a really simple protocol. The packets look like this:



“unreliable data protocol”
(not what it really stands for)

When you send UDP packets, they might arrive:

- out of order
- never

any packet can actually get lost, but UDP won't do anything to help you.

Packet sizes are limited

I'm gonna put 3000 characters in this packet

nope, that won't fit. 1500 bytes is probably a better size. *

* packet sizes are actually a super interesting topic. Search "MTU".

you need to decide how to organize your data into packets manually

ok, 623 bytes in this packet, 747 bytes in that one...

VPNs use UDP

hi I want to talk to 12.12.12.12

stuff all your data into UDP packets, send them to me, and I'll pass them along.

VPN server


Streaming video often uses UDP

Read <http://hpbn.co/webRTC> for a GREAT discussion of using UDP in a real-time protocol.


Local networking

aka "how to talk to a computer in the same room"

Every computer is in a subnet. Your subnet is the list of computers that you can talk to directly.




What does it mean to talk "directly" to another computer? Well, every computer on the internet has a network card with a MAC address.



When you send a packet to a computer in your subnet, you put the computer's MAC address on it. To get the right MAC, your computer uses a

protocol called ARP: "Address Resolution Protocol".




You can run `arp -na` to see the contents of the ARP table on your computer. It should look like this:

```
$ arp -na
```


```
? (192.168.1.120) at 94:53:30:30:91:98:c8 [ether] on wlp3s0
```

MAC for 192.168.1.120 (my printer) my wifi card

How packets get sent across the ocean




When a packet arrives at a router:



Routers use a protocol called **BGP** to decide what router the packet should go to next:

A packet can take a lot of different routes to get to the same destination!



The route it takes to get from $A \rightarrow B$ might be different from $B \rightarrow A$.

Exercise:

Run traceroute google.com to see what steps your packet takes to get to google.com.

Notation time!

10.0.0.0/8

132.5.23.0/24

People often describe groups of IP addresses using CIDR notation.

example CIDRs

CIDR	range of IPs
10.0.0.0/8	10.*.*.*
10.9.0.0/16	10.9.*.*
10.9.8.0/24	10.9.8.*

important examples

10.0.0.0/8 and 192.168.0.0/16 and 172.16.0.0/12 are reserved for local networking.

In CIDR notation, a /n gives you 2^{32-n} IP addresses. So a /24 is $2^8 = 256$ IPs.

It's important to represent groups of IP addresses efficiently because routers have LOTS TO DO.


router

is 192.168.3.2 in the subnet 192.168.0.0/16? I can do some really fast bit arithmetic and find out!

The IP address 10.9.0.0 is this in binary:

$\overset{10}{\downarrow}$ $\overset{9}{\downarrow}$ $\overset{0}{\downarrow}$ $\overset{0}{\downarrow}$
00001010 00001001 00000000 00000000


first 24 bits

10.9.0.0/24 is all the IP addresses which have the same first 24 bits as 10.9.0.0!



SSL/TLS

(TLS: newer version of SSL)


When you send a packet on the internet, LOTS of people can potentially read it.



SSL encrypts your packets:



What happens when you go to <https://jvns.ca>:



(very simplified)

Once the client and server agree on a key for the session, they can encrypt all the communication they want.

To see the certificate for jvns.ca, run:

```
$ openssl s_client -connect jvns.ca:443 -servername jvns.ca
```

TLS is really complicated. You can use a tool like SSL Labs to check the security of your site.

wireshark

Wireshark is an amazing tool for packet analysis.
Here's an exercise to learn it! Run this:

```
$ sudo tcpdump port 80 -w http.pcap
```


While that's running, open metafilter.com in your browser.
Then press Ctrl+C to stop tcpdump. Now we have a pcap!
Open `http.pcap` with Wireshark.

Some questions you can try to answer:

① What HTTP headers did your browser send to `metafilter.com`?

(hint: search frame contains "GET")

How many packets were exchanged with `metafilter.com`'s server?

(hint: search `ip.dst == 54.1.2.3`)  put the IP from
here ping `metafilter.com`

Wireshark makes it easy to look at:

- ★ IP addresses and ports
- ★ SYN and ACKs for TCP traffic
- ★ exactly what's happening with DNS requests
- ★ and so much more! It's a great way to poke around and learn.

♥ thanks ♥ for reading

If you want to know more about networking:

→ make network requests! play with

dig traceroute tcpdump ifconfig
netcat Wireshark netstat

→ beej's guide to network programming is a useful + funny guide to the socket API on Unix systems.


→ beej.us/guide/bgnet ←

→ High Performance Browser Networking is a ★fantastic★ and practical guide on what you need to know about networking to make fast websites.

You can read it for free at:

→ hpbn.co ←

Thanks for Kamal Marhubi, Chris Kanich, and Ada Munroe for reviewing this!



like this?
more at
wizardzines.com